

- Affif, M. see Code, J.A., 35
- Afram, A. see Hanna, A.M., 468
- Agar, J.G., Morgenstern, N.R., and Scott, J.D. Shear strength and stress-strain behaviour of Athabasca oil sand at elevated temperatures and pressures, 1
- Aigle, P., Desnouvaux, F., et Prost, J.P. Les éperons drainants dans les talus en déblai—présentation d'abaques de dimensionnement sur critères hydrauliques et mécaniques, 590
- Ambrosie, R.W. see Graham, J., 279
- Amir, J.M. see Horvath, R.G., 326
- Armitage, H.H. see Rowe, R.K., 114
- Armitage, H.H. see Rowe, R.K., 126
- Asante, S.P.K. see Gidigas, M.D., 58
- Auger, L.F. see Lau, J.S.O., 499
- Baikie, L.D. Charts for the design and evaluation of simple earth slopes using total and partial factors of safety: a review of several available methods, 216
- Baker, T.H.W., and Goodrich, L.E. Measurement of soil water content using the combined time-domain reflectometry – thermal conductivity probe, 160
- Barbour, S.L. see Lam, L., 565
- Barron, K. see Stimpson, B., 479
- Beauséjour, N. see Locat, J., 327
- Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G. Work as a criterion for determining *in situ* and yield stresses in clays, 549
- Becker, D.E. see Jefferies, M.G., 342
- Beckie, R.D. see Thompson, J.C., 143
- Been, K., Conlin, B.H., Crooks, J.H.A., Fitzpatrick, S.W., Jefferies, M.G., Rogers, B.T., and Shinde, S. Back analysis of the Nerlerk berm liquefaction slides: Discussion, 170
- Been, K., Lingnau, B.E., Crooks, J.H.A., and Leach, B. Cone penetration test calibration for Erksak (Beaufort Sea) sand, 601
- Been, K. see Jefferies, M.G., 441
- Been, K. see Becker, D.E., 549
- Bertok, J. Settlement of embankments and structures at Vancouver International Airport, 72
- Bisson, J.G. see Lau, J.S.O., 499
- Boonsinsuk, P., Ludwig, H., and Yong, R.N. A laboratory study of tiebacks in cohesive soil, 11
- Bottero, A. see Siraj-Eldine, K., 242
- Brink, A.B.A. see Legget, R.F., 325
- Bromhead, E.N. see Fredlund, D.G., 323
- Budhu, M., and Davies, T.G. Nonlinear analysis of laterally loaded piles in cohesionless soils, 289
- Burak, J.-P. see Eigenbrod, K.D., 208
- Burd, H.J. see Love, J.P., 611
- Burwash, A.L. Depth profiling of peat deposits with impulse radar: Discussion, 169
- Byrne, P.M., Cheung, H., and Yan, L. Soil parameters for deformation analysis of sand masses, 366
- Campanella, R.G., Robertson, P.K., Gillespie, D., Laing, N., and Kurfurst, P.J. Seismic cone penetration testing in the near offshore of the MacKenzie Delta, 154
- Chan, D.H., and Morgenstern, N.R. Analysis of progressive deformation of the Edmonton Convention Centre excavation, 430
- Chen, W.F. see McCarron, W.O., 630
- Cheung, H. see Byrne, P.M., 366
- Christiansen, E.A. see Eckel, B.F., 81
- Christiansen, E.A. see Sauer, E.K., 163
- Clague, J.J. see Eyles, N., 656
- Code, J.A., and Affif, M. Geotechnical aspects of Corani reservoir enlargement, 35
- Conlin, B.H. see Been, K., 170
- Cooke, B.H. see Lo, K.Y., 232
- Crawford, C.B., and deBoer, L.J. Field observations of soft clay consolidation in the Fraser Lowland, 308
- Crooks, J.H.A. see Been, K., 170
- Crooks, J.H.A. see Jefferies, M.G., 342
- Crooks, J.H.A. see Becker, D.E., 549
- Crooks, J.H.A. see Been, K., 601
- Cruden, D.M., and Eaton, T.M. Reconnaissance of rockslide hazards in Kananaskis Country, Alberta, 414
- Curran, J.H. see Ofoegbu, G.I., 357

- Dascal, O. see Lefebvre, G., 23  
Davies, T.G. see Budhu, M., 289  
Dawe, C.R. see Morin, P., 536  
deBoer, L.J. see Crawford, C.B., 308  
Desnouvaux, F. see Aigle, P., 590  
D'Hollander, R.D. see Sladen, J.A., 179  
Dougan, E. see Gidigas, M.D., 58  
Dunbar, D.D. see Lo, K.Y., 232  
Eaton, T.M. see Cruden, D.M., 414  
Eckel, B.F., Sauer, E.K., and Christiansen, E.A. The Petrofka landslide, Saskatchewan, 81  
Egashira, K. see Gibo, S., 456  
Eigenbrod, K.D., and Locker, J.G. Determination of friction values for the design of side slopes lined or protected with geosynthetics, 509  
Eigenbrod, K.D., Burak, J.-P., and Graham, J. Drained deformation and failure due to cyclic pore pressures in soft natural clay at low stresses, 208  
Evans, S.G. The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Reply, 470  
Eyles, N., and Clague, J.J. Landsliding caused by Pleistocene glacial lake ponding—an example from central British Columbia, 656  
Fernandez, F. see Quigley, R.M., 377  
Fish, A.M. Shape of creep curves in frozen soils and polycrystalline ice, 623  
Fitzpatrick, S.W. see Been, K., 170  
Föhn, P.M.B. see Schapp, L.H.J., 335  
Fredlund, D.G. The stability of slopes. By E.N. Bromhead, 323  
Fredlund, D.G. see Lam, L., 565  
Gervais, R. see Morin, J.P., 490  
Gibo, S., Egashira, K., and Ohtsubo, M. Residual strength of smectite-dominated soils from the Kamenose landslide in Japan, 456  
Gidigas, M.D., Asante, S.P.K., and Dougan, E. Identification of suitable nontraditional tropical and residual paving materials in relation to the environment, 58  
Gill, D.E. see Ouellet, J., 384  
Gillespie, D. see Campanella, R.G., 154  
Giroux, F. see Lafleur, J., 581  
Goodrich, L.E. see Baker, T.H.W., 160  
Graham, J., Kwok, C.K., and Ambrosio, R.W. Stress release, undrained storage, and reconsolidation in simulated underwater clay, 279  
Graham, J. see Eigenbrod, K.D., 208  
Handford, G. see Sladen, J.A., 462  
Hanna, A.M., and Afram, A. Pull-out capacity of single batter piles in sand: Reply, 468  
Head, K.H. see Ng, R.M.C., 670  
Helgason, T. see Quigley, R.M., 377  
Hendron, A.J. see Kenney, T.C., 187  
Hill, P.R. see Jefferies, M.G., 342  
Horsfield, D. see Ng, R.M.C., 670  
Horvath, R.G. Piling in rock. By J.M. Amir, 326  
Houlsby, G.T. see Love, J.P., 611  
Huot, M. see Lafleur, J., 581  
Hutchison, J. see Renneberg, R.J., 324  
Jefferies, M.G., and Been, K. Use of critical state representations of sand in the method of stress characteristics, 441  
Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R. Independence of geostatic stress from overconsolidation in some Beaufort Sea clays, 342  
Jefferies, M.G. see Been, K., 170  
Jefferies, M.G. see Becker, D.E., 549  
Kaiser, P.K. see Wong, R.C.K., 297  
Kauffman, C.R. see Ting, J.M., 198  
Kenney, T.C. The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface. By A.J. Hendron and F.D. Patton, 187  
Konrad, J.-M. Piezo-friction-cone penetrometer testing in soft clays, 645  
Konrad, J.-M., and Law, K.T. Undrained shear strength from piezocone tests, 392  
Kosar, K. see Stimpson, B., 479  
Krahn, J. see Sladen, J.A., 179  
Kurfurst, P.J. see Campanella, R.G., 154  
Kwok, C.K. see Graham, J., 279  
Lafleur, J., Giroux, F., and Huot, M. Field permeability of the weathered Champlain clay crust, 581  
Laing, N. see Campanella, R.G., 154  
Lam, L., Fredlund, D.G., and Barbour, S.L. Transient seepage model for saturated-unsaturated soil systems: a geotechnical engineering approach, 565  
Lau, J.S.O., Auger, L.F., and Bisson, J.G. Subsurface fracture surveys using a borehole television camera and acoustic televiewer, 499

- Law, K.T. see Konrad, J.-M., 392
- Leach, B. see Been, K., 601
- Lefebvre, G., Paré, J.-J., and Dascal, O. Undrained shear strength in the surficial weathered crust, 23
- Legget, R.F. Landslides and their control. *By* Quido Zaruba and Vojtech Mencl, 186
- Legget, R.F. Zosuvy v Slovenských Karpathoch. *By* Arnold Nemčok, 186
- Legget, R.F. Engineering geology of southern Africa, Volume III (The Karoo Sequence), Volume IV (Post-Gondwana deposits). *By* A.B.A. Brink, 325
- Lelievre, B. see Thompson, J.C., 143
- Li, K.S., and Lumb, P. Probabilistic design of slopes, 520
- Lingnau, B.E. see Been, K., 601
- Lo, K.Y., Cooke, B.H., and Dunbar, D.D. Design of buried structures in squeezing rock in Toronto, Canada, 232
- Lo, K.Y., Yung, T.C.B., and Lukajic, B. A field method for the determination of rock-mass modulus, 406
- Lo, K.Y. see Ogawa, T., 100
- Locat, J., et Beauséjour, N. Corrélations entre des propriétés mécaniques dynamiques et statiques de sols argileux intacts et traités à la chaux, 327
- Locker, J.G. see Eigenbrod, K.D., 509
- Love, J.P., Burd, H.J., Milligan, G.W.E., and Housby, G.T. Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade, 611
- Lovicsek, M. see Ting, J.M., 198
- Ludwig, H. see Boonsinsuk, P., 11
- Lukajic, B. see Lo, K.Y., 406
- Lumb, P. see Li, K.S., 520
- Madhav, M.R. Efficiency of pile groups in tension, 149
- Margaritis, A. see Quigley, R.M., 377
- Matheson, D.S. Construction of and on compacted fills. *By* Edward J. Monahan, 324
- McCarron, W.O., and Chen, W.F. A capped plasticity model applied to Boston blue clay, 630
- McClung, J.E., and Mollard, J.D. Predicting settlement at a damsite on a tunnel valley deposit in Alberta, 45
- Mencl, V. see Legget, R.F., 186
- Meyerhof, G.G., and Sastry, V.V.R.N. Full-displacement pressuremeter method for rigid piles under lateral loads and moments, 471
- Meyerhof, G.G. see Sastry, V.V.R.N., 145
- Milligan, G.W.E. see Love, J.P., 611
- Mitchell, D.E. see Sladen, J.A., 179
- Mitchell, R.J., and Stone, D.M. Stability of reinforced cemented backfills, 189
- Mollard, J.D. see McClung, J.E., 45
- Monahan, E.J. see Matheson, D.S., 324
- Morgenstern, N.R. see Agar, J.G., 1
- Morgenstern, N.R. see Chan, D.H., 430
- Morin, J.P., and Gervais, R. Settlement record of tower silos built on Champlain clays, 490
- Morin, P., and Dawe, C.R. Geotechnical properties of two deep-sea marine soils from the Labrador Sea, 536
- Negus, K.J. see Thompson, J.C., 143
- Nemčok, A. see Legget, R.F., 186
- Ng, R.M.C., and Horsfield, D. Manual of soil laboratory testing. Vol. 3. Effective stress tests. *By* K.H. Head, 670
- Nixon, J.F. Thermally induced heave beneath chilled pipelines in frozen ground, 260
- Ofoegbu, G.I., and Curran, J.H. Rotation of principal stresses near a heated fracture in a bituminous sand, 357
- Ogawa, T., and Lo, K.Y. Effects of dilatancy and yield criteria on displacements around tunnels, 100
- Ohtsubo, M. see Gibo, S., 456
- Ouellet, J., Gill, D.E., and Soulié, M. Geostatistical approach to the study of induced damage around underground rock excavations, 384
- Parameswaran, V.R. Adfreezing strength of ice to model piles, 446
- Parashar, S.K. see Worsfold, R.D., 169
- Paré, J.-J. see Lefebvre, G., 23
- Patton, F.D. see Kenney, T.C., 187
- Penner, F. The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Discussion, 469
- Perrott, T. see Worsfold, R.D., 169
- Prost, J.P. see Aigle, P., 590
- Quigley, R.M., Fernandez, F., Yanful, E., Helgason, T., Margaritis, A., and Whitby, J.L. Hydraulic conductivity of contaminated natural clay directly below a domestic landfill, 377
- Renneberg, R.J. Underpinning. *By* Sam Thorburn and Jack Hutchison, 324
- Robertson, P.K. see Campanella, R.G., 154
- Rogers, B.T. see Been, K., 170
- Rowe, R.K., and Armitage, H.H. Theoretical solutions for axial deformation of drilled shafts in rock, 114
- Rowe, R.K., and Armitage, H.H. A design method for drilled piers in soft rock, 126
- Saeedy, H.S. Stability of circular vertical earth anchors, 452

- Sastry, V.V.R.N., and Meyerhof, G.G.** Influence of installation method on the behaviour of rigid piles in clay subjected to moment and horizontal load, 145
- Sastry, V.V.R.N.** see Meyerhof, G.G., 471
- Sauer, E.K., and Christiansen, E.A.** The Denholm landslide, Saskatchewan, Canada, an update, 163
- Sauer, E.K.** see Eckel, B.F., 81
- Schapp, L.H.J., and Föhn, P.M.B.** Cone penetration testing in snow, 335
- Schmidt, B.** Pull-out capacity of single batter piles in sand: Discussion, 467
- Scott, J.D.** see Agar, J.G., 1
- Shinde, S.** see Been, K., 170
- Siraj-Eldine, K., et Bottero, A.** Étude expérimentale de la capacité portante d'une couche de sol pulvérulent d'épaisseur limitée, 242
- Sladen, J.A., and Handford, G.** A potential systematic error in laboratory testing of very loose sands, 462
- Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E.** Back analysis of the Nerlerk berm liquefaction slides: Reply, 179
- Sonnenberg, R.** see Thomson, S., 663
- Soulié, M.** see Ouellet, J., 384
- Srbulov, M.M.** Limit equilibrium method with local factors of safety for slope stability, 652
- Stimpson, B., Barron, K., and Kosar, K.** Multiple-block plane shear slope failure, 479
- Stone, D.M.** see Mitchell, R.J., 189
- Thompson, J.C., Lelievre, B., Beckie, R.D., and Negus, K.J.** A simple procedure for computation of vertical soil stresses for surface regions of arbitrary shape and loading, 143
- Thomson, S., and Sonnenberg, R.** Settlement instrumentation to observe open-pit mine backfill and a prototype foundation in western Canada, 663
- Thorburn, S.** see Renneberg, R.J., 324
- Ting, J.M., Kauffman, C.R., and Lovicsek, M.** Centrifuge static and dynamic lateral pile behaviour, 198
- Torrance, J.K.** Shear resistance of remoulded soils by viscometric and fall-cone methods: a comparison for the Canadian sensitive marine clays, 318
- Trow, W.A.** Experiences with shored excavations, 267
- Weimer, N.F.** Use of polyvinyl chloride liners for large irrigation canals in Alberta, 252
- Whitby, J.L.** see Quigley, R.M., 377
- Wong, R.C.K., and Kaiser, P.K.** Performance of a small tunnel in clay shale, 297
- Worsfold, R.D., Parashar, S.K., and Perrott, T.** Depth profiling of peat deposits with impulse radar: Reply, 169
- Yan, L.** see Byrne, P.M., 366
- Yanful, E.** see Quigley, R.M., 377
- Yong, R.N.** see Boonsinsuk, P., 11
- Yung, T.C.B.** see Lo, K.Y., 406
- Zaruba, Q.** see Legget, R.F., 186

**A. General**

**04. Textbooks, Handbooks, and Periodicals**

Landslides and their control. By Quido Zaruba and Vojtech Mencl. Legget, R.F., 186.

Zosuvy v Slovenských Karpathoch. By Arnold Nemčok. Legget, R.F., 186.

The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface. By A.J. Hendron and F.D. Patton. Kenney, T.C., 187.

**B. Geological and Environmental Aspects**

**01. Formation of Soils and Rocks**

Undrained shear strength in the surficial weathered crust. Lefebvre, G., Paré, J.-J., and Dascal, O., 23.

**02. Hydrogeological Aspects**

The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface. By A.J. Hendron and F.D. Patton. Kenney, T.C., 187.

Hydraulic conductivity of contaminated natural clay directly below a domestic landfill. Quigley, R.M., Fernandez, F., Yanful, E., Helgason, T., Margaritis, A., and Whitby, J.L., 377.

The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Discussion. Penner, F., 469.

The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Reply. Evans, S.G., 470.

**03. Mass Movements and Land Subsidence**

Landslides and their control. By Quido Zaruba and Vojtech Mencl. Legget, R.F., 186.

Zosuvy v Slovenských Karpathoch. By Arnold Nemčok. Legget, R.F., 186.

The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface. By A.J. Hendron and F.D. Patton. Kenney, T.C., 187.

Reconnaissance of rockslide hazards in Kananaskis Country, Alberta. Cruden, D.M., and Eaton, T.M., 414.

Landsliding caused by Pleistocene glacial lake ponding—an example from central British Columbia. Eyles, N., and Clague, J.J., 656.

**05. Climatic Conditions**

Undrained shear strength in the surficial weathered crust. Lefebvre, G., Paré, J.-J., and Dascal, O., 23.

**06. Submarine Geological Aspects**

Geotechnical properties of two deep-sea marine soils from the Labrador Sea. Morin, P., and Dawe, C.R., 536.

**09. Geomorphologic Aspects and Terrain Classification**

Predicting settlement at a damsite on a tunnel valley deposit in Alberta. McClung, J.E., and Mollard, J.D., 45.

The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Discussion. Penner, F., 469.

The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Reply. Evans, S.G., 470.

Landsliding caused by Pleistocene glacial lake ponding—an example from central British Columbia. Eyles, N., and Clague, J.J., 656.

**11. Description of Regional Soil and Rock Conditions**

Engineering geology of southern Africa, Volume III (The Karoo Sequence), Volume IV (Post-Gondwana deposits). By A.B.A. Brink. Legget, R.F., 325.

Reconnaissance of rockslide hazards in Kananaskis Country, Alberta. Cruden, D.M., and Eaton, T.M., 414.

Subsurface fracture surveys using a borehole television camera and acoustic televiewer. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 499.

**12. Other Environmental Aspects**

Adfreezing strength of ice to model piles. Parameswaran, V.R., 446.

---

<sup>1</sup>Based on the International Geotechnical Classification System (IGC) as revised in 1981.



### C. Site Investigations

02. *Geophysical Surveys*  
The Petrofka landslide, Saskatchewan. Eckel, B.F., Sauer, E.K., and Christiansen, E.A., 81.  
Depth profiling of peat deposits with impulse radar: Discussion. Burwash, A.L., 169.  
Depth profiling of peat deposits with impulse radar: Reply. Worsfold, R.D., Parashar, S.K., and Perrott, T., 169.  
Subsurface fracture surveys using a borehole television camera and acoustic televiewer. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 499.
03. *Probing (Soundings)*  
Seismic cone penetration testing in the near offshore of the MacKenzie Delta. Campanella, R.G., Robertson, P.K., Gillespie, D., Laing, N., and Kurfurst, P.J., 154.  
Undrained shear strength from piezocone tests. Konrad, J.-M., and Law, K.T., 392.  
Cone penetration test calibration for Erksak (Beaufort Sea) sand. Been, K., Lingnau, B.E., Crooks, J.H.A., and Leach, B., 601.  
Piezo-friction-cone penetrometer testing in soft clays. Konrad, J.-M., 645.
05. *Boring Techniques and Equipment (cf. C 10)*  
Full-displacement pressuremeter method for rigid piles under lateral loads and moments. Meyerhof, G.G. and Sastry, V.V.R.N., 471.
06. *Sampling*  
Stress release, undrained storage, and reconsolidation in simulated underwater clay. Graham, J., Kwok, C.K., and Ambrosie, R.W., 279.
07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*  
The Petrofka landslide, Saskatchewan. Eckel, B.F., Sauer, E.K., and Christiansen, E.A., 81.  
Independence of geostatic stress from overconsolidation in some Beaufort Sea clays. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 342.  
Hydraulic conductivity of contaminated natural clay directly below a domestic landfill. Quigley, R.M., Fernandez, F., Yanful, E., Helgason, T., Margaritis, A., and Whitby, J.L., 377.  
Settlement record of tower silos built on Champlain clays. Morin, J.P., and Gervais, R., 490.  
Work as a criterion for determining *in situ* and yield stresses in clays. Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G., 549.  
Field permeability of the weathered Champlain clay crust. Lafleur, J., Giroux, F., and Huot, M., 581.  
Piezo-friction-cone penetrometer testing in soft clays. Konrad, J.-M., 645.  
Settlement instrumentation to observe open-pit mine backfill and a prototype foundation in western Canada. Thomson, S., and Sonnenberg, R., 663.
10. *Underwater Site Investigations*  
Independence of geostatic stress from overconsolidation in some Beaufort Sea clays. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 342.  
Geotechnical properties of two deep-sea marine soils from the Labrador Sea. Morin, P., and Dawe, C.R., 536.  
Cone penetration test calibration for Erksak (Beaufort Sea) sand. Been, K., Lingnau, B.E., Crooks, J.H.A., and Leach, B., 601.

### D. Soil Properties: Laboratory and In-Situ Determinations

00. *General*  
Manual of soil laboratory testing. Vol. 3. Effective stress tests. By K.H. Head. Ng, R.M.C., and Horsfield, D., 670.
01. *Classification and Description of Soils*  
Seismic cone penetration testing in the near offshore of the MacKenzie Delta. Campanella, R.G., Robertson, P.K., Gillespie, D., Laing, N., and Kurfurst, P.J., 154.  
Measurement of soil water content using the combined time-domain reflectometry – thermal conductivity probe. Baker, T.H.W., and Goodrich, L.E., 160.  
Geotechnical properties of two deep-sea marine soils from the Labrador Sea. Morin, P., and Dawe, C.R., 536.
02. *Pysico-Chemical Properties*  
Measurement of soil water content using the combined time-domain reflectometry – thermal conductivity probe. Baker, T.H.W., and Goodrich, L.E., 160.  
Shear resistance of remoulded soils by viscometric and fall-cone methods: a comparison for the Canadian sensitive marine clays. Torrance, J.K., 318.
04. *Hydraulic Properties*  
Transient seepage model for saturated–unsaturated soil systems: a geotechnical engineering approach. Lam, L., Fredlund, D.G., and Barbour, S.L., 565.  
Field permeability of the weathered Champlain clay crust. Lafleur, J., Giroux, F., and Huot, M., 581.
05. *Compressibility and Swelling*  
Settlement of embankments and structures at Vancouver International Airport. Bertok, J., 72.  
Stress release, undrained storage, and reconsolidation in simulated underwater clay. Graham, J., Kwok, C.K., and Ambrosie, R.W., 279.

- Independence of geostatic stress from overconsolidation in some Beaufort Sea clays. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 342.
- A potential systematic error in laboratory testing of very loose sands. Sladen, J.A., and Handford, G., 462.
- Full-displacement pressuremeter method for rigid piles under lateral loads and moments. Meyerhof, G.G., and Sastry, V.V.R.N., 471.
- Geotechnical properties of two deep-sea marine soils from the Labrador Sea. Morin, P., and Dawe, C.R., 536.
- Work as a criterion for determining *in situ* and yield stresses in clays. Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G., 549.
- Cone penetration test calibration for Erksak (Beaufort Sea) sand. Been, K., Lingnau, B.E., Crooks, J.H.A., and Leach, B., 601.
06. *Shear-Deformation and Strength Properties*
- Shear strength and stress-strain behaviour of Athabasca oil sand at elevated temperatures and pressures. Agar, J.G., Morgenstern, N.R., and Scott, J.D., 1.
- Undrained shear strength in the surficial weathered crust. Lefebvre, G., Paré, J.-J., and Dascal, O., 23.
- Stability of reinforced cemented backfills. Mitchell, R.J., and Stone, D.M., 189.
- Drained deformation and failure due to cyclic pore pressures in soft natural clay at low stresses. Eigenbrod, K.D., Burak, J.-P., and Graham, J., 208.
- Stress release, undrained storage, and reconsolidation in simulated underwater clay. Graham, J., Kwok, C.K., and Ambrosie, R.W., 279.
- Corrélations entre des propriétés mécaniques dynamiques et statiques de sols argileux intacts et traités à la chaux. Locat, J., et Beauséjour, N., 327.
- Soil parameters for deformation analysis of sand masses. Byrne, P.M., Cheung, H., and Yan, L., 366.
- Undrained shear strength from piezocone tests. Konrad, J.-M., and Law, K.T., 392.
- Residual strength of smectite-dominated soils from the Kamenose landslide in Japan. Gibo, S., Egashira, K., and Ohtsubo, M., 456.
- A potential systematic error in laboratory testing of very loose sands. Sladen, J.A., and Handford, G., 462.
- Full-displacement pressuremeter method for rigid piles under lateral loads and moments. Meyerhof, G.G., and Sastry, V.V.R.N., 471.
- Geotechnical properties of two deep-sea marine soils from the Labrador Sea. Morin, P., and Dawe, C.R., 536.
- Work as a criterion for determining *in situ* and yield stresses in clays. Becker, D.E., Crooks, J.H.A., Been, K., and Jefferies, M.G., 549.
- Cone penetration test calibration for Erksak (Beaufort Sea) sand. Been, K., Lingnau, B.E., Crooks, J.H.A., and Leach, B., 601.
07. *Dynamic Properties*
- Shear resistance of remoulded soils by viscometric and fall-cone methods: a comparison for the Canadian sensitive marine clays. Torrance, J.K., 318.
- Corrélations entre des propriétés mécaniques dynamiques et statiques de sols argileux intacts et traités à la chaux. Locat, J., et Beauséjour, N., 327.
08. *Thermal Properties*
- Shear strength and stress-strain behaviour of Athabasca oil sand at elevated temperatures and pressures. Agar, J.G., Morgenstern, N.R., and Scott, J.D., 1.
09. *Compactibility*
- Identification of suitable nontraditional tropical and residual paving materials in relation to the environment. Gidigas, M.D., Asante, S.P.K., and Dougan, E., 58.
10. *Properties of Soil-Additive Mixtures*
- Stability of reinforced cemented backfills. Mitchell, R.J., and Stone, D.M., 189.
- Determination of friction values for the design of side slopes lined or protected with geosynthetics. Eigenbrod, K.D., and Locker, J.G., 509.

## E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
- A simple procedure for computation of vertical soil stresses for surface regions of arbitrary shape and loading. Thompson, J.C., Lelievre, B., Beckie, R.D., and Negus, K.J., 143.
- Efficiency of pile groups in tension. Madhav, M.R., 149.
- Rotation of principal stresses near a heated fracture in a bituminous sand. Ofoegbu, G.I., and Curran, J.H., 357.
02. *Deformation and Settlement Problems*
- Settlement of embankments and structures at Vancouver International Airport. Bertok, J., 72.
- Analysis of progressive deformation of the Edmonton Convention Centre excavation. Chan, D.H., and Morgenstern, N.R., 430.
- A capped plasticity model applied to Boston blue clay. McCarron, W.O., and Chen, W.F., 630.
03. *Bearing Capacity of Shallow Foundations*
- Étude expérimentale de la capacité portante d'une couche de sol pulvérulent d'épaisseur limitée. Siraj-Eldine, K., et Bottero, A., 242.
- Use of critical state representations of sand in the method of stress characteristics. Jefferies, M.G., and Been, K., 441.
04. *Bearing Capacity of Piles and other Deep Foundations*
- Influence of installation method on the behaviour of rigid piles in clay subjected to moment and horizontal load. Sastry, V.V.R.N., and Meyerhof, G.G., 145.
- Efficiency of pile groups in tension. Madhav, M.R., 149.

- Centrifuge static and dynamic lateral pile behaviour. Ting, J.M., Kauffman, C.R., and Lovicsek, M., 198.
- Nonlinear analysis of laterally loaded piles in cohesionless soils. Budhu, M., and Davies, T.G., 289.
- Stability of circular vertical earth anchors. Saeedy, H.S., 452.
- Pull-out capacity of single batter piles in sand: Discussion. Schmidt, B., 467.
- Pull-out capacity of single batter piles in sand: Reply. Hanna, A.M., and Afram, A., 468.
- Full-displacement pressuremeter method for rigid piles under lateral loads and moments. Meyerhof, G.G. and Sastry, V.V.R.N., 471.
05. *Earth Pressure Problems*
- A laboratory study of tiebacks in cohesive soil. Boonsinsuk, P., Ludwig, H., and Yong, R.N., 11.
- Experiences with shored excavations. Trow, W.A., 267.
06. *Stability of Slopes and Excavations*
- The Petrofka landslide, Saskatchewan. Eckel, B.F., Sauer, E.K., and Christiansen, E.A., 81.
- The Denholm landslide, Saskatchewan, Canada, an update. Sauer, E.K., and Christiansen, E.A., 163.
- Back analysis of the Nerlerk berm liquefaction slides: Discussion. Been, K., Conlin, B.H., Crooks, J.H.A., Fitzpatrick, S.W., Jefferies, M.G., Rogers, B.T., and Shinde, S., 170.
- Back analysis of the Nerlerk berm liquefaction slides: Reply. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 179.
- Landslides and their control. By Quido Zaruba and Vojtech Menci. Legget, R.F., 186.
- Zosuvy v Slovenských Karpathoch. By Arnold Nemčok. Legget, R.F., 186.
- The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface. By A.J. Hendron and F.D. Patton. Kenney, T.C., 187.
- Drained deformation and failure due to cyclic pore pressures in soft natural clay at low stresses. Eigenbrod, K.D., Burak, J.-P., and Graham, J., 208.
- Charts for the design and evaluation of simple earth slopes using total and partial factors of safety: a review of several available methods. Baikie, L.D., 216.
- Analysis of progressive deformation of the Edmonton Convention Centre excavation. Chan, D.H., and Morgenstern, N.R., 430.
- Multiple-block plane shear slope failure. Stimpson, B., Barron, K., and Kosar, K., 479.
- Probabilistic design of slopes. Li, K.S., and Lumb, P., 520.
- Les éperons drainants dans les talus en déblai—présentation d'abaques de dimensionnement sur critères hydrauliques et mécaniques. Aigle, P., Desnouvaux, F., et Prost, J.P., 590.
- Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade. Love, J.P., Burd, H.J., Milligan, G.W.E., and Housby, G.T., 611.
- Limit equilibrium method with local factors of safety for slope stability. Srbulov, M.M., 652.
07. *Seepage and other Hydraulic Problems*
- Transient seepage model for saturated-unsaturated soil systems: a geotechnical engineering approach. Lam, L., Fredlund, D.G., and Barbour, S.L., 565.
- Les éperons drainants dans les talus en déblai—présentation d'abaques de dimensionnement sur critères hydrauliques et mécaniques. Aigle, P., Desnouvaux, F., et Prost, J.P., 590.
08. *Dynamic Problems*
- Centrifuge static and dynamic lateral pile behaviour. Ting, J.M., Kauffman, C.R., and Lovicsek, M., 198.
09. *Frost Action and Heat-Transfer Problems*
- Thermally induced heave beneath chilled pipelines in frozen ground. Nixon, J.F., 260.
- Rotation of principal stresses near a heated fracture in a bituminous sand. Ofoegbu, G.I., and Curran, J.H., 357.
10. *Analysis of Layered Systems and Pavements Behaviour*
- Determination of friction values for the design of side slopes lined or protected with geosynthetics. Eigenbrod, K.D., and Locker, J.G., 509.
- Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade. Love, J.P., Burd, H.J., Milligan, G.W.E., and Housby, G.T., 611.
12. *Soil-Structure Interaction*
- A laboratory study of tiebacks in cohesive soil. Boonsinsuk, P., Ludwig, H., and Yong, R.N., 11.
13. *Mathematical Methods, Computer Analysis*
- Rotation of principal stresses near a heated fracture in a bituminous sand. Ofoegbu, G.I., and Curran, J.H., 357.
- Use of critical state representations of sand in the method of stress characteristics. Jefferies, M.G., and Been, K., 441.
- A capped plasticity model applied to Boston blue clay. McCarron, W.O., and Chen, W.F., 630.
14. *Model Test Analysis*
- Influence of installation method on the behaviour of rigid piles in clay subjected to moment and horizontal load. Sastry, V.V.R.N., and Meyerhof, G.G., 145.
- Stability of reinforced cemented backfills. Mitchell, R.J., and Stone, D.M., 189.
- Centrifuge static and dynamic lateral pile behaviour. Ting, J.M., Kauffman, C.R., and Lovicsek, M., 198.
- Soil parameters for deformation analysis of sand masses. Byrne, P.M., Cheung, H., and Yan, L., 366.
- Undrained shear strength from piezocone tests. Konrad, J.-M., and Law, K.T., 392.



- Adfreezing strength of ice to model piles. Parameswaran, V.R., 446.  
 Pull-out capacity of single batter piles in sand: Discussion. Schmidt, B., 467.  
 Pull-out capacity of single batter piles in sand: Reply. Hanna, A.M., and Afram, A., 468.  
 Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade. Love, J.P., Burd, H.J., Milligan, G.W.E., and Houlsby, G.T., 611.

## F. Rock Properties: Laboratory and In-Situ Determinations

01. *Classification and Description of Rocks and Rock Masses*  
 Geostatistical approach to the study of induced damage around underground rock excavations. Ouellet, J., Gill, D.E., and Soulié, M., 384.  
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 499.
03. *Composition, Density, and Structural Features*  
 Subsurface fracture surveys using a borehole television camera and acoustic televiewer. Lau, J.S.O., Auger, L.F., and Bisson, J.G., 499.
06. *Shear-Deformation and Strength Properties*  
 Effects of dilatancy and yield criteria on displacements around tunnels. Ogawa, T., and Lo, K.Y., 100.  
 Theoretical solutions for axial deformation of drilled shafts in rock. Rowe, R.K., and Armitage, H.H., 114.  
 A design method for drilled piers in soft rock. Rowe, R.K., and Armitage, H.H., 126.  
 A field method for the determination of rock-mass modulus. Lo, K.Y., Yung, T.C.B., and Lukajic, B., 406.
07. *Dynamic Properties*  
 Geostatistical approach to the study of induced damage around underground rock excavations. Ouellet, J., Gill, D.E., and Soulié, M., 384.

## G. Analysis of Rock-Engineering Problems

02. *Deformation and Displacement Problems*  
 Effects of dilatancy and yield criteria on displacements around tunnels. Ogawa, T., and Lo, K.Y., 100.  
 Theoretical solutions for axial deformation of drilled shafts in rock. Rowe, R.K., and Armitage, H.H., 114.  
 A design method for drilled piers in soft rock. Rowe, R.K., and Armitage, H.H., 126.
03. *Bearing Capacity of Rock Masses*  
 Piling in rock. By J.M. Amir. Horvath, R.G., 326.
05. *Rock Pressure on Tunnels and Underground Openings*  
 Design of buried structures in squeezing rock in Toronto, Canada. Lo, K.Y., Cooke, B.H., and Dunbar, D.D., 232.  
 Performance of a small tunnel in clay shale. Wong, R.C.K., and Kaiser, P.K., 297.
06. *Stability of Rock Slopes and Open Excavations*  
 Multiple-block plane shear slope failure. Stimpson, B., Barron, K., and Kosar, K., 479.
08. *Dynamic Problems*  
 Geostatistical approach to the study of induced damage around underground rock excavations. Ouellet, J., Gill, D.E., and Soulié, M., 384.
12. *Rock-Structure Interaction*  
 Effects of dilatancy and yield criteria on displacements around tunnels. Ogawa, T., and Lo, K.Y., 100.  
 Performance of a small tunnel in clay shale. Wong, R.C.K., and Kaiser, P.K., 297.

## H. Design, Construction, and Behaviour of Engineering Works

01. *Foundations of Structures (other than dams)*  
 Settlement of embankments and structures at Vancouver International Airport. Bertok, J., 72.  
 A design method for drilled piers in soft rock. Rowe, R.K., and Armitage, H.H., 126.  
 Piling in rock. By J.M. Amir. Horvath, R.G., 326.  
 Analysis of progressive deformation of the Edmonton Convention Centre excavation. Chan, D.H., and Morgenstern, N.R., 430.  
 Stability of circular vertical earth anchors. Saeedy, H.S., 452.  
 Settlement record of tower silos built on Champlain clays. Morin, J.P., and Gervais, R., 490.
02. *Retaining Structures and Cut-off Walls*  
 Experiences with shored excavations. Trow, W.A., 267.
03. *Offshore Structures*  
 Back analysis of the Nerlerk berm liquefaction slides: Discussion. Been, K., Conlin, B.H., Crooks, J.H.A., Fitzpatrick, S.W., Jefferies, M.G., Rogers, B.T., and Shinde, S., 170.  
 Back analysis of the Nerlerk berm liquefaction slides: Reply. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 179.

- Independence of geostatic stress from overconsolidation in some Beaufort Sea clays. Jefferies, M.G., Crooks, J.H.A., Becker, D.E., and Hill, P.R., 342.
- Soil parameters for deformation analysis of sand masses. Byrne, P.M., Cheung, H., and Yan, L., 366.
04. *Dams and Reservoirs*  
 Geotechnical aspects of Corani reservoir enlargement. Code, J.A., and Afif, M., 35.  
 Predicting settlement at a damsite on a tunnel valley deposit in Alberta. McClung, J.E., and Mollard, J.D., 45.
05. *Tunnels and Underground Openings*  
 Effects of dilatancy and yield criteria on displacements around tunnels. Ogawa, T., and Lo, K.Y., 100.  
 Design of buried structures in squeezing rock in Toronto, Canada. Lo, K.Y., Cooke, B.H., and Dunbar, D.D., 232.  
 Performance of a small tunnel in clay shale. Wong, R.C.K., and Kaiser, P.K., 297.  
 Geostatistical approach to the study of induced damage around underground rock excavations. Ouellet, J., Gill, D.E., and Soulié, M., 384.
06. *Roads, Railroads, and Airfields*  
 Identification of suitable nontraditional tropical and residual paving materials in relation to the environment. Gidigas, M.D., Asante, S.P.K., and Dougan, E., 58.
07. *Harbours, Canals, and Coastal Engineering Works*  
 Use of polyvinyl chloride liners for large irrigation canals in Alberta. Weimer, N.F., 252.
08. *Conduits and Culverts*  
 Thermally induced heave beneath chilled pipelines in frozen ground. Nixon, J.F., 260.
09. *Slopes and Unsupported Excavations*  
 The Petrofka landslide, Saskatchewan. Eckel, B.F., Sauer, E.K., and Christiansen, E.A., 81.  
 The Denholm landslide, Saskatchewan, Canada, an update. Sauer, E.K., and Christiansen, E.A., 163.  
 Field observations of soft clay consolidation in the Fraser Lowland. Crawford, C.B., and deBoer, L.J., 308.  
 The stability of slopes. By E.N. Bromhead. Fredlund, D.G., 323.  
 Construction of and on compacted fills. By Edward J. Monahan. Matheson, D.S., 324.  
 Analysis of progressive deformation of the Edmonton Convention Centre excavation. Chan, D.H., and Morgenstern, N.R., 430.  
 Residual strength of smectite-dominated soils from the Kamenose landslide in Japan. Gibo, S., Egashira, K., and Ohtsubo, M., 456.  
 Multiple-block plane shear slope failure. Stimpson, B., Barron, K., and Kosar, K., 479.  
 Probabilistic design of slopes. Li, K.S., and Lumb, P., 520.  
 Les éperons drainants dans les talus en déblai—présentation d'abaques de dimensionnement sur critères hydrauliques et mécaniques. Aigle, P., Desnouvaux, F., et Prost, J.P., 590.  
 A capped plasticity model applied to Boston blue clay. McCarron, W.O., and Chen, W.F., 630.  
 Limit equilibrium method with local factors of safety for slope stability. Srbulov, M.M., 652.  
 Settlement instrumentation to observe open-pit mine backfill and a prototype foundation in western Canada. Thomson, S., and Sonnenberg, R., 663.
10. *Land Use*  
 Shear strength and stress-strain behaviour of Athabasca oil sand at elevated temperatures and pressures. Agar, J.G., Morgenstern, N.R., and Scott, J.D., 1.

## K. Construction Methods and Equipment

03. *Preloading and Soil Replacement*  
 Field observations of soft clay consolidation in the Fraser Lowland. Crawford, C.B., and deBoer, L.J., 308.
04. *Earthworks and Rock Excavation, Processing and Transportation*  
 Stability of reinforced cemented backfills. Mitchell, R.J., and Stone, D.M., 189.
05. *Compaction Processes*  
 Geotechnical aspects of Corani reservoir enlargement. Code, J.A., and Afif, M., 35.  
 Identification of suitable nontraditional tropical and residual paving materials in relation to the environment. Gidigas, M.D., Asante, S.P.K., and Dougan, E., 58.  
 Construction of and on compacted fills. By Edward J. Monahan. Matheson, D.S., 324.
06. *Soil Stabilization and Erosion Control*  
 Corrélations entre des propriétés mécaniques dynamiques et statiques de sols argileux intacts et traités à la chaux. Locat, J., et Beauséjour, N., 327.
07. *Piles and Pile Driving, Incl. Sheet Piles*  
 Piling in rock. By J.M. Amir. Horvath, R.G., 326.

12. *Offshore Construction*  
Back analysis of the Nerlerk berm liquefaction slides: Discussion. Been, K., Conlin, B.H., Crooks, J.H.A., Fitzpatrick, S.W., Jefferies, M.G., Rogers, B.T., and Shinde, S., 170.  
Back analysis of the Nerlerk berm liquefaction slides: Reply. Sladen, J.A., D'Hollander, R.D., Krahn, J., and Mitchell, D.E., 179.
13. *Protection Measures against Frost*  
Adfreezing strength of ice to model piles. Parameswaran, V.R., 446.
14. *Measures for Improving Deformation and Stability Conditions. Reconstruction of Foundations*  
Underpinning. By Sam Thorburn and Jack Hutchison. Renneberg, R.J., 324.  
Analysis of progressive deformation of the Edmonton Convention Centre excavation. Chan, D.H., and Morgenstern, N.R., 430.

## M. Materials of Construction

04. *Plastics and Similar Materials*  
Use of polyvinyl chloride liners for large irrigation canals in Alberta. Weimer, N.F., 252.  
Determination of friction values for the design of side slopes lined or protected with geosynthetics. Eigenbrod, K.D., and Locker, J.G., 509.  
Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade. Love, J.P., Burd, H.J., Milligan, G.W.E., and Housby, G.T., 611.

## S. Snow and Ice Mechanics and Engineering

02. *Properties of Snow and Ice*  
Cone penetration testing in snow. Schapp, L.H.J., and Föhn, P.M.B., 335.  
Shape of creep curves in frozen soils and polycrystalline ice. Fish, A.M., 623.
03. *Snow and Ice Engineering*  
Shape of creep curves in frozen soils and polycrystalline ice. Fish, A.M., 623.

## T. Related Disciplines

02. *Geosciences*  
Landsliding caused by Pleistocene glacial lake ponding—an example from central British Columbia. Eyles, N., and Clague, J.J., 656.
07. *Mining Engineering and Ore Prospecting*  
Stability of reinforced cemented backfills. Mitchell, R.J., and Stone, D.M., 189.
12. *Instrumentation and Measuring Techniques*  
Settlement instrumentation to observe open-pit mine backfill and a prototype foundation in western Canada. Thomson, S., and Sonnenberg, R., 663.
14. *Environmental Problems and Nature Conservation*  
Hydraulic conductivity of contaminated natural clay directly below a domestic landfill. Quigley, R.M., Fernandez, F., Yanful, E., Helgason, T., Margaritis, A., and Whitby, J.L., 377.



# Canadian Geotechnical Journal

# Revue canadienne de géotechnique

Volume 24 • 1987

Editor	J. GRAHAM	Directeur scientifique
Assistant to the Editor	I. TRESTRAIL	Adjointe au directeur scientifique

## Associate Editors/Directeurs scientifiques associés

L. D. BAIKIE	D. G. FREDLUND	E. MCROBERTS
J. A. CHERRY	P. K. KAISER	D. E. MITCHELL
J. I. CLARK	J. LAFLEUR	R. K. ROWE
J. H. A. CROOKS	C. F. LEE	R. N. YONG
O. DASCAL	G. LEFEBVRE	

PUBLISHING DEPARTMENT	SERVICE DE PUBLICATION
at the National Research Council of Canada	du Conseil national de recherches du Canada

Editor-in-chief	C. T. BISHOP	Directeur général
Assistant Editor-in-chief	P. A. REDHEAD	Directeur général adjoint
Manager	B. E. DREW	Directrice administrative
Assistant Manager	S. D. PRUDHOMME	Directeur administratif adjoint
Publishing Supervisor	N. K. MIKI	Chef des publications
Publication Officer	A. YIP	Agente de publication

Published by the  
National Research Council  
of Canada

Publiée par le  
Conseil national de recherches  
du Canada



L

4

7

11

# CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER

Editorial policy/Orientation de la revue	iii
Instructions to authors	v
Recommandations aux auteurs	vi

## ARTICLES

J. G. Agar, N. R. Morgenstern, and J. D. Scott	Shear strength and stress-strain behaviour of Athabasca oil sand at elevated temperatures and pressures	1
Prapote Boonsinsuk, Harald Ludwig, and Raymond N. Yong	A laboratory study of tiebacks in cohesive soil	11
Guy Lefebvre, Jean-Jacques Paré, and Oscar Dascal	Undrained shear strength in the surficial weathered crust	23
J. A. Code and M. Afif	Geotechnical aspects of Corani reservoir enlargement	35
J. E. McClung and J. D. Mollard	Predicting settlement at a damsite on a tunnel valley deposit in Alberta	45
M. D. Gidigas, S. P. K. Asante, and E. Dougan	Identification of suitable nontraditional tropical and residual paving materials in relation to the environment	58
J. Bertok	Settlement of embankments and structures at Vancouver International Airport	72
B. F. Eckel, E. Karl Sauer, and E. A. Christiansen	The Petrofka landslide, Saskatchewan	81
T. Ogawa and K. Y. Lo	Effects of dilatancy and yield criteria on displacements around tunnels	100
R. K. Rowe and H. H. Armitage	Theoretical solutions for axial deformation of drilled shafts in rock	114
R. K. Rowe and H. H. Armitage	A design method for drilled piers in soft rock	126

## TECHNICAL NOTES/NOTES TECHNIQUES

J. C. Thompson, B. Lelievre, R. D. Beckie, and K. J. Negus	A simple procedure for computation of vertical soil stresses for surface regions of arbitrary shape and loading	143
V. V. R. N. Sastry and G. G. Meyerhof	Influence of installation method on the behaviour of rigid piles in clay subjected to moment and horizontal load	145
Madhira R. Madhav	Efficiency of pile groups in tension	149
R. G. Campanella, P. K. Robertson, D. Gillespie, N. Laing, and P. J. Kurfurst	Seismic cone penetration testing in the near off-shore of the MacKenzie Delta	154
T. H. W. Baker and L. E. Goodrich	Measurement of soil water content using the combined time-domain reflectometry - thermal conductivity probe	160
E. Karl Sauer and E. A. Christiansen	The Denholm landslide, Saskatchewan, Canada, an update	163

## DISCUSSIONS

A. L. Burwash	Depth profiling of peat deposits with impulse radar: Discussion	169
Richard D. Worsfold, Surendra K. Parashar, and Timothy Perrott	Depth profiling of peat deposits with impulse radar: Reply	169
K. Been, B. H. Conlin, J. H. A. Crooks, S. W. Fitzpatrick, M. G. Jefferies, B. T. Rogers, and S. Shinde	Back analysis of the Nerlerk berm liquefaction slides: Discussion	170
J. A. Sladen, R. D. D'Hollander, J. Krahn, and D. E. Mitchell	Back analysis of the Nerlerk berm liquefaction slides: Reply	179

## BOOK REVIEWS/CRITIQUES DE LIVRES

Robert F. Legget	Landslides and their control and Zosuvy v Slovenských Karpathoch	186
T. C. Kenney	The Vaiont Slide, a geotechnical analysis based on new geologic observations of the failure surface	187

MAY/MAI

## ARTICLES

Robert J. Mitchell and David M. Stone	Stability of reinforced cemented backfills	189
John M. Ting, Claudia R. Kauffman, and Maryann Lovicsek	Centrifuge static and dynamic lateral pile behaviour	198
K. D. Eigenbrod, J.-P. Burak, and J. Graham	Drained deformation and failure due to cyclic pore pressures in soft natural clay at low stresses	208
L. D. Baikie	Charts for the design and evaluation of simple earth slopes using total and partial factors of safety: a review of several available methods	216
K. Y. Lo, B. H. Cooke, and D. D. Dunbar	Design of buried structures in squeezing rock in Toronto, Canada	232
K. Siraj-Eldine et A. Bottero	Étude expérimentale de la capacité portante d'une couche de sol pulvérulent d'épaisseur limitée	242
N. F. Weimer	Use of polyvinyl chloride liners for large irrigation canals in Alberta	252
J. F. (Derick) Nixon	Thermally induced heave beneath chilled pipelines in frozen ground	260
W. A. Trow	Experiences with shored excavations	267
J. Graham, C. K. Kwok, and R. W. Ambrosie	Stress release, undrained storage, and reconsolidation in simulated underwater clay	279
Muniram Budhu and Trevor G. Davies	Nonlinear analysis of laterally loaded piles in cohesionless soils	289
R. C. K. Wong and P. K. Kaiser	Performance of a small tunnel in clay shale	297
C. B. Crawford and L. J. deBoer	Field observations of soft clay consolidation in the Fraser Lowland	308

# NOTE

- J. Kenneth Torrance** Shear resistance of remoulded soils by viscometric and fall-cone methods: a comparison for the Canadian sensitive marine clays 318

# BOOK REVIEWS/CRITIQUES DE LIVRES

- D. G. Fredlund** The stability of slopes 323  
**Russel J. Renneberg** Underpinning 324  
**D. S. Matheson** Construction of and on compacted fills 324  
**Robert F. Legget** Engineering geology of southern Africa, Volume III (The Karoo Sequence), Volume IV (Post-Gondwana deposits) 325  
**R. G. Horvath** Piling in rock 326

# AUGUST/AOÛT

# ARTICLES

- Jacques Locat et Normand Beuséjour** Corrélations entre des propriétés mécaniques dynamiques et statiques de sols argileux intacts et traités à la chaux 327  
**Leo H. J. Schapp and Paul M. B. Föhn** Cone penetration testing in snow 335  
**M. G. Jefferies, J. H. A. Crooks, D. E. Becker, and P. R. Hill** Independence of geostatic stress from overconsolidation in some Beaufort Sea clays 342  
**G. I. Ofoegbu and J. H. Curran** Rotation of principal stresses near a heated fracture in a bituminous sand 357  
**P. M. Byrne, H. Cheung, and L. Yan** Soil parameters for deformation analysis of sand masses 366  
**R. M. Quigley, F. Fernandez, E. Yanful, T. Helgason, A. Margaritis, and J. L. Whitby** Hydraulic conductivity of contaminated natural clay directly below a domestic landfill 377  
**J. Ouellet, D. E. Gill, and M. Soulié** Geostatistical approach to the study of induced damage around underground rock excavations 384  
**J.-M. Konrad and K. T. Law** Undrained shear strength from piezocone tests 392  
**K. Y. Lo, T. C. B. Yung, and B. Lukajic** A field method for the determination of rock-mass modulus 406  
**D. M. Cruden and T. M. Eaton** Reconnaissance of rockslide hazards in Kananaskis Country, Alberta 414  
**D. H. Chan and N. R. Morgenstern** Analysis of progressive deformation of the Edmonton Convention Centre excavation 430

# TECHNICAL NOTES/NOTES TECHNIQUES

- M. G. Jefferies and K. Been** Use of critical state representations of sand in the method of stress characteristics 441  
**V. R. Parameswaran** Adfreezing strength of ice to model piles 446  
**Hamed S. Saeedy** Stability of circular vertical earth anchors 452  
**Seiichi Gibo, Kazuhiko Egashira, and Masami Ohtsubo** Residual strength of smectite-dominated soils from the Kamenose landslide in Japan 456  
**J. A. Sladen and G. Handford** A potential systematic error in laboratory testing of very loose sands 462

# DISCUSSIONS

- Birger Schmidt** Pull-out capacity of single batter piles in sand: Discussion 467  
**A. M. Hanna and A. Afram** Pull-out capacity of single batter piles in sand: Reply 468  
**Frank Penner** The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Discussion 469  
**Stephen G. Evans** The maximum discharge of outburst floods caused by the breaching of man-made and natural dams: Reply 470

# NOVEMBER/NOVEMBRE

# ARTICLES

- G. G. Meyerhof and V. V. R. N. Sastry** Full-displacement pressuremeter method for rigid piles under lateral loads and moments 471  
**B. Stimpson, K. Barron, and K. Kosar** Multiple-block plane shear slope failure 479  
**J. P. Morin and R. Gervais** Settlement record of tower silos built on Champlain clays 490  
**J. S. O. Lau, L. F. Auger, and J. G. Bisson** Subsurface fracture surveys using a borehole television camera and acoustic televiewer 499  
**K. D. Eigenbrod and J. G. Locker** Determination of friction values for the design of side slopes lined or protected with geosynthetics 509  
**K. S. Li and P. Lumb** Probabilistic design of slopes 520  
**Pierre Morin and C. Roy Dawe** Geotechnical properties of two deep-sea marine soils from the Labrador Sea 536  
**D. E. Becker, J. H. A. Crooks, K. Been, and M. G. Jefferies** Work as a criterion for determining *in situ* and yield stresses in clays 549  
**L. Lam, D. G. Fredlund, and S. L. Barbour** Transient seepage model for saturated-unsaturated soil systems: a geotechnical engineering approach 565  
**J. Lafleur, F. Giroux, and M. Huot** Field permeability of the weathered Champlain clay crust 581  
**P. Aigle, F. Desnouvaux et J. P. Prost** Les éperons drainants dans les talus en déblai—présentation d'abaques de dimensionnement sur critères hydrauliques et mécaniques 590  
**K. Been, B. E. Lingnau, J. H. A. Crooks, and B. Leach** Cone penetration test calibration for Erksak (Beaufort Sea) sand 601  
**J. P. Love, H. J. Burd, G. W. E. Milligan, and G. T. Houlsby** Analytical and model studies of reinforcement of a layer of granular fill on a soft clay subgrade 611  
**Anatoly M. Fish** Shape of creep curves in frozen soils and polycrystalline ice 623  
**W. O. McCarron and W. F. Chen** A capped plasticity model applied to Boston blue clay 630

**TECHNICAL NOTES/NOTES TECHNIQUES**

<b>J.-M. Konrad</b> Piezo-friction-cone penetrometer testing in soft clays	645
<b>Milutin M. Srbulov</b> Limit equilibrium method with local factors of safety for slope stability	652
<b>N. Eyles and John J. Clague</b> Landsliding caused by Pleistocene glacial lake ponding—an example from central British Columbia	656
<b>S. Thomson and R. Sonnenberg</b> Settlement instrumentation to observe open-pit mine backfill and a prototype foundation in western Canada	663

**BOOK REVIEW/CRITIQUE DE LIVRE**

<b>R. M. C. Ng and D. Horsfield</b> Manual of soil laboratory testing. Vol. 3. Effective stress tests. <i>By</i> K. H. Head	670
---	-----

**Note of appreciation/Note de reconnaissance**

i

**Author index for volume 24/Index des auteurs pour volume 24**

AI-1

**Subject index for volume 24/Index des matières pour volume 24**

SI-1

**Contents for volume 24/Sommaire pour volume 24**

v